JONA'S Healthcare Law, Ethics, and Regulation / Volume 9, Number 3 / Copyright © 2007 Wolters Kluwer Health | Lippincott Williams & Wilkins



isolated to nursing. Continued

,		
- W		
~		
7		
<u> </u>	<u> </u>	
borggas		
to		
bo _		
, !		
1 To		
* * * · · · · · · · · · · · · · · · · ·		
	,	

analysis is of the post entry-level Analysis was a large-scale survey of practicing RNs. The questionnaire panels to use during the next phase of the study. In addition, practitioner.



write in any activities not mentioned in the survey was included at the end of Section 3. Section 4 asked for Surveys were sent to the District of Columbia and the Virgin remaining 19,820 RNs throughout the United States and its territories. Islands). Area 3 had the largest representation, with 30.9% of RNs

	certifications and were asked to	nurse as their primary role. About	thinking skills to make decisions"	•
	-1-1		72511	
د اسعال				
`				
1				
<u> </u>				
r _		He		
, li				
-				
A				
-				
<u> </u>				
*-				
	1.11.0(1)			
,	currently held. Of the total	managers, and 3.2% worked as	nrivacy" received the highest	
1	currently held. Of the total	managers, and 3.2% worked as	nrivacy" received the highest	
	currently held. Of the total	managers, and 3.2% worked as	nrivacy" received the highest	
	currently held. Of the total	managers. and 3.2% worked as	nrivacy" received the highest	
	currently held. Of the total	managers. and 3.2% worked as	nrivacy" received the highest	
	number of RN respondents, 44.0% held 1 certification, 9.0% held	managers. and 3.2% worked as administrators. About 17.0% of respondents indicated a type of role	ratings of 0.99.	
	number of RN respondents, 44.0%	administrators. About 17.0% of		
· · · · · · · · · · · · · · · · · · ·	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
· · · · · · · · · · · · · · · · · · ·	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
· · · · · · · · · · · · · · · · · · ·	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
· · · · · · · · · · · · · · · · · · ·	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of		
	number of RN respondents, 44.0% held 1 certification, 9.0% held	administrators. About 17.0% of	ratings of 0.99.	

	Average total group frequencies	activity statement should be	which corresponds to "important"	-
<u> </u>	<u> </u>	1 1 1 1	<u> </u>	
,) 		•		
<u></u>	_	τ		
1				
. 1				
-				
Γ				
		•		
31				
ā. ————————————————————————————————————			<u> </u>	
•				
• 				
<u> </u>				
	1 time per day to 3.78 for	practice:		
	approximately 4 or more times	1. core practice rating,		
	1 time per day to 3.78 for approximately 4 or more times per day. The activities performed	percentage not performing.	<u>Supposerra</u>	
-1	<u> </u>			
r'				
·		<u> </u>		
15				
]				
. ·				
A , .				
'				
·	<u>ا</u> ل			
	1			
 	-			
· · · · · · · · · · · · · · · · · · ·			·	
,				
-				
·				
Tation of the same	1			
<u> </u>				
;		* <u>P</u>	Δ	
1				
,- ·	l .			
<u> </u>				
	<u> </u>			
1				
Terri				
 .			10-	
4				

A P P E N D I X A Consecutive Panel of SME

of Occupational Health rsing 's Health and Neonatal
rsing 's Health and Neonatal
rsing 's Health and Neonatal
's Health and Neonatal
ursing (NLN)
Nurse Practitioners (AANP)
urgical Nurses (AMSN)
£II2mr. C (NIATIC)

pn is strictly prohib

A P P E N D I X B Certifications Held

	Frequency	%
Ambulatory care nursing	105	2.6
Cardiac rehabilitation nursing	32	0.8
Critical care nursing	310	7.7
Emergency nursing	128	3.2
General nursing practice nursing	114	2.8
Gerontological nursing	115	2.9
Home health nursing	113	2.8
Hospice/palliative care nursing	57	1.4
3 K 41 7		

Nurse manager	102	2.5
Nursing administration	58	1.4
Nursing administration, advanced	10	0.2
3.7 1 d 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

	_	
Perinatal nursing	41	1.0
Psychiatric and mental health nursing	101	2.5
Rehabilitation nursing	51	1.3
School nurse/college health	107	2.7
Other	978	24.4

PhD. Any unauthoriz

ID	Activity Statement	Core Rating	Mean Imp	% Not Applicable	Mean Frequency
c.12	Monitor and document adherence to health maintenance recommendations	0.68	3.19	37.14	2.12
c.7	Use standardized language in client care	0.69	2.92	31.18	2.57
2.29	Participate in the development/revision of policies and procedures	0.70	3.11	28.15	0.68
1.70	Insert intravenous access devices	0.72	3.43	34.59	2.17
2.58	Manage client with an alteration in nutritional status	0.73	3.33	33.14	2.38
2.55	Manage client with an alteration in elimination	0.73	3.28	33.80	2.12
2.59	Assess and intervene in client's performance of activities of daily living and instrumental activities of daily living	0.73	3.27	34.06	2.50

	n n								
ł '									
			•						
_		0.07	3.6						
ठ	_	2.27	Manage conflict among clients/staff	(0.74	3.19	22.84	1.22	
	•								
2, . :=			· -·						
		,							
-									
£									
r	<u>r</u>								
						·			 ·

A P P E N D I X C Continued

	ID	Activity Statement	Rating	Mean Imp	% Not Applicable	Mean Frequency	
	3 36 Marries as	a practided by athers as defined by the Chata N.	೧೦૧	0 /1	20 11	9 00	
(
1		·					
					Tr.		
					- In		
_							
-	1				_		
				_			
	9.53. Danast saask	- mastice of basis are money and the internal design of the state of t	. 1		V1 17	0-50	
			٠,				
	1 •						
	·						
	\						
	• •						
	entities						
		dynamics	0.00	2 20	10 F4	2.25	
	1.52 Assess family		0.82	3.29	19.56 19.94	2.25	
		ehavioral management techniques when caring		3.25		2.31	
ted.		k assessment and implement interventions	0.83	3.49	22.14	2.59	
hibited.		edures using sterile versus clean technique	0.83	3.59	22.28	2.34	
	£1.						
		<u> </u>					

A P P E N D I X C Continued

	 					
	ID Activity Statement	Core Rating	Mean Imp	% Not Applicable	Mean Frequency	
	2.73 Implement safety precautions/protocols for identified risks	0.87	3.57	16.83	1.98	
7	Trans.					
, L.						
			عرانا			
1						
<u> </u>			τ.			
·						
	c.3 Participate in performance/quality improvement	0.88	3.26	11.01	1.62	
A STANSON OF THE STAN			_			
<u> </u>						
We T						
_						
1						
	ie z		•			
-						
<u>-</u>						
·						
•						
<u> </u>						
4. 2-4						
· -	1 ,					
	110				* = =	

A P P E N D I X C Continued

D Activity Statement Rating Map Map			Continued						
2.40 Anticipate the need for additional resources to implement interventions 0.95 3.49 5.45 2.53 176. Some as a second normal months and the stuff 0.05 3.67 2.62 0.00. 1.27 Encourage feedback from clients/staff and take action as appropriate 0.95 3.43 3.50 2.75 Ç.8 Provide cure appropriate to client's age, physical, developmental 0.95 3.67 7.50 3.39 Cognitive, cultural, and psychosocial needs C.4 Act as a client advocate 0.96 3.68 4.69 2.83		ID	Activity Statement	Core Rating	Mean Imp	% Not Applicable	Mean Frequency		
1.27 Encourage feedback from clients/staff and take action as appropriate 1.27 Encourage feedback from clients/staff and take action as appropriate 1.28 Provide care appropriate to client's age, physical, developmental, 0.95 3.43 3.50 2.75 1.29 Cognitive, cultural, and psychosocial needs 1.20 Cognitive, cultural, and psychosocial needs 1.20 Act as a client advocate 1.21 Opin 3.68 4.69 2.83		2.39 Comm	unicate client's status to appropriate healthcare provider	0.95	3.66	7.66	2.92		
1.27 Encourage feedback from clients/staff and take action as appropriate 0.95 3.43 3.50 2.75 c.8 Provide care appropriate to client's age, physical, developmental, 0.95 3.67 7.50 3.99 Cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83		2.40 Anticip	pate the need for additional resources to implement interventions	0.95	3.49	5.45	2.53		
1.27 Encourage feedback from clients/staff and take action as appropriate 0.95 3.43 3.50 2.75 (-8 Provide care appropriate to client's age, physical, developmental, 0.95 3.67 7.50 3.39 cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83			as a resource nercon or menter to other staff	∪∿ ≥ _	2 15_	2 63	າດດ	(I	
cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83	_								
cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83									
cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83									
cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83						_			
cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83									
cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83									
cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83		1.27 Encour	rage feedback from clients/staff and take action as appropriate	0.95	3 43	3.50	2.75		
cognitive, cultural, and psychosocial needs c.4 Act as a client advocate 0.96 3.68 4.69 2.83									
C.4. Act as a client advocate 0.96 3.68 4.69 2.83	1	<u> </u>	te care appropriate to each 3 aze, privatear, developmentar.	11.7.7	5,17	711	. Fa. 17		
C.4. Act as a client advocate 0.96 3.68 4.69 2.83									
C.4. Act as a client advocate 0.96 3.68 4.69 2.83									
		cogn	nitive, cultural, and psychosocial needs						
		c.4 Act as	a client advocate	0.96	3.68	4.69	2.83		
		_ ^_							
		r ·							
		ir .							
	·								
	1-	,							
	,	_							
		4,							
		•							
			<u> </u>						end-10°
	!								

